

#### **CSWA Exam Practice Questions**

#### **Overview**

This document contains practice questions that can be used to prepare for the Certified SolidWorks Associate (CSWA) exam. The questions are intended to help you become familiar with the types of questions featured on the CSWA exam. Additional information about the CSWA exam is available on the student Web site (www.g-wlearning.com/CAD).

There are 10 practice questions in this document. The questions are identified by exam category. Use the questions to assess your modeling skills and knowledge of SolidWorks tools and techniques. In addition, use the questions to measure your ability to work efficiently. The CSWA exam is a timed, online exam that must be completed in 180 minutes (3 hours) or less. Questions related to the *Basic Modeling Theory and Drawing Theory* exam category and the *Advanced Modeling Theory and Analysis* exam category are theory-based questions. They should be answered in 10 minutes or less. Questions related to the *Part Modeling, Advanced Part Modeling,* and *Assembly Modeling* exam categories are modeling questions. These questions require you to model a part or assembly and should be completed in 45 minutes or less. Use this as a general guideline when working through the practice questions.







В

С

#### **Part Modeling**

Model the part shown in the figures provided. Use the following information.

- Unit system: MMGS (millimeter, gram, second)
- Decimal places: 2
- Part origin: Arbitrary
- A = 50
- B = 70
- Material: AISI 1020

What is the overall mass of the part in grams?

- A. 878.62
- B. 998.54
- C. 1098.32
- D. 1127.72

Please click to enlarge

Please click to enlarge

Please click to enlarge

H

#### **Practice Question 1A**



#### **Practice Question 1B**



#### **Practice Question 1C**













#### **Part Modeling**

Please click to enlarge

**Please click** 

to enlarge

J. DI

Please click to enlarge

В

С

Model the part shown in the figures provided. Use the following information.

- Unit system: IPS (inch, pound, second)
- Decimal places: 2
- Part origin: Arbitrary
- A = 2.125
- B = 1.25
- Material: Alloy Steel

What is the overall mass of the part in pounds?

- A. 0.20
- B. 0.47
- C. 0.98
- D. 1.23

#### **Practice Question 2A**



**Practice Question 2B** 



#### **Practice Question 2C**









#### **Practice Question 3.**

# **Basic Modeling Theory and Drawing Theory**

The drawing view shown is an example of which SolidWorks view type?

- A. detail
- B. aligned section
- C. broken
- D. broken-out section





#### **Practice Question 4.**

#### **Advanced Modeling Theory and Analysis**

To define fixtures in a SimulationXpress study, model \_\_\_\_\_ are selected.

- A. faces
- B. edges
- C. vertices
- D. edges or vertices



#### **Practice Question 5.**



В

#### **Advanced Part Modeling**

Please click to enlarge

Please click to enlarge

Model the part shown in the figures provided. Use the following information.

- Unit system: MMGS (millimeter, gram, second)
- Decimal places: 2
- Part origin: Arbitrary
- A = 66
- B = 56
- Material: Cast Carbon Steel

What is the overall mass of the part in grams?

A. 205.19

- B. 237.10
- C. 305.66

D. 442.33

#### **Practice Question 5A**



#### **Practice Question 5B**





#### **Practice Question 6.**

# **Basic Modeling Theory and Drawing Theory**

The drawing view shown is an example of which SolidWorks view type?

- A. auxiliary
- B. detail
- C. broken-out section
- D. aligned section





SECTION A-A



#### **Practice Question 7.**

#### Advanced Modeling Theory and Analysis

Which of the following types of models can be analyzed with SimulationXpress?

- A. single-body parts
- B. single-body parts and assemblies
- C. single-body parts and surfaces
- D. surfaces and assemblies



#### **Practice Question 8.**

### **Assembly Modeling**

Model the assembly shown in the figures provided. Use the following information. The assembly is a scissors lift containing seven components: Lower Base, Upper Base, Link, Pivot, Short Pin, Long Pin, and Shaft. There are two short pins, two long pins, two pivots, and eight links in the assembly.

- Unit system: IPS (inch, pound, second)
- Assembly origin: As shown
- Decimal places: 2
- A = 20.50
- B = 6.50
- $C = 36^{\circ}$
- Material: AISI 1020 for all components.
- Each base has .025" internal radii.
- The shaft is centered in the assembly horizontally (from left to right) and vertically (between the lower base and upper base).
- The shaft fits in the holes in the pivot (no clearance).
- The pins fit in the holes at the ends of the links and each base (no clearance).
- All links are oriented at the same angle (Angle C).
- All holes are "through" holes.

What is the center of mass of the assembly with respect to the illustrated coordinate system?

A. X = -1.35, Y = 3.00, Z = 4.25

- B. X = −1.35, Y = 3.00, Z = 3.75
- C. X = 1.35, Y = 3.00, Z = 3.75
- D. X = 1.35, Y = 3.00, Z = 4.25





to enlarge

Please click to enlarge



Please click to enlarge



Please click to enlarge



Please click to enlarge



Please click to enlarge



Please click to enlarge

#### **Practice Question 8A**



#### **Practice Question 8B**



#### **Practice Question 8C**





#### **Practice Question 8E**



#### **Practice Question 8F**



#### **Practice Question 8G**



1.000

•ø.375



#### **Practice Question 9.**

# **Basic Modeling Theory and Drawing Theory**

The drawing view shown is an example of which SolidWorks view type?

- A. alternate position
- B. aligned section
- C. section
- D. broken-out section





#### **Practice Question 10.**

#### **Advanced Modeling Theory and Analysis**

SimulationXpress supports analysis of parts assigned \_\_\_\_\_ materials.

- A. anisotropic
- B. isotropic
- C. orthotropic
- D. All of the above.