

Chemistry Department

University of Alberta

CHEM 263

Exam I


Friday, June 1, 2012

1. Give a structure consistent with each of the following sets of  $^1\text{H}$  NMR data: (10 points)


a.  $\text{C}_9\text{H}_{11}\text{Br}$        $\delta = 2.15$  ppm (2H, quintet)  
                          $\delta = 2.75$  ppm (2H, triplet)  
                          $\delta = 3.38$  ppm (2H, triplet)  
                          $\delta = 7.22$  ppm (5H, singlet)

b.  $\text{C}_{10}\text{H}_{12}$        $\delta = 0.65$  ppm (2H, multiplet)  
                          $\delta = 0.81$  ppm (2H, multiplet)  
                          $\delta = 1.37$  ppm (3H, singlet)  
                          $\delta = 7.17$  ppm (5H, singlet)


2. The IR and  $^1\text{H}$  NMR spectra of a compound of molecular formula  $\text{C}_{11}\text{H}_{14}\text{O}$  are given below.




SDBSWeb : <http://riodb01.ibase.aist.go.jp/sdbs/> (National Institute of Advanced Industrial Science and Technology, 29 May 2012)




- a. Calculate the degree of unsaturation. (1 point)
  - b. List the possible functional groups gleaned from the molecular formula. (2 points)
  - c. What is the functional group that the IR spectrum shows to be present in the unknown? (2 point)
  - d. Draw a table that lists chemical shifts and multiplicity. Then propose a structure for this compound. (10 points)
3. Sketch the expected  $^1\text{H}$  NMR spectrum of the following compound: (10 points)



4. When a solution of 1,3-butadiene in  $\text{CH}_3\text{OH}$  is treated with chlorine, the products are:




- a. Propose a mechanism that accounts for their formation (don't forget the arrows). (10 points)
  - b. Which is the product of thermodynamic control. (2 points)
5. Tetrodotoxin is a poison isolated from the ovaries and liver of the puffer fish. One step in the synthesis of this toxin involves a Diels-Alder reaction to make the following compound:




Draw the necessary diene and dienophile to synthesize this compound. (4 points)

6. Explain why azirines of structure 1 have never been isolated, whereas the isomeric azirines of structure 2 are well known. (6 points)



7. Name the following compound: (2 points)



8. Draw the structure of *m*-iodoaniline. (2 points)
9. Provide a synthetic pathway for the following transformation: (6 points)

